Panthera Group

Chapter 8 Barriers & Ballast Systems





Firmus Professional

WL: 2005mm; H: 1000mm; W: 504mm Weight: 11.2kg Chapter 8 Compliant



Pedestrian Walk Through

WL: 2215mm; H: 2165mm; W: 461mm Weight: 14kg

Branding, Customisation & Accessories Available

We offer a wide range of accessories for most of our barriers to allow for use in multiple applications.

We also offer branding and customisation to raise the profile of your business and prevent theft.

Contact our sales team for more information.



Firmus

WL: 2000mm; H: 1075mm; W: 560mm Weight: 12kg Chapter 8 Compliant



Rota Block Mini

WL: 1000mm; H: 400mm; W: 400mm Weight: Empty 9kg / Full 105kg



Gradus Block

H: 295mm; W: 609mm Weight: Empty 2kg / Full 44kg

Panthera Group Steel Barriers



Fortis Barrier WL: 1500mm; H: 443mm; W: 510mm Weight: 58kg



Site Fortis WL: 1500mm; H: 2003mm; W: 510mm Weight: 72.4kg





Pedestrian Fortis

WL: 1500mm; H: 1007mm; W: 510mm Weight: 63.2kg



Fortis Crash Barrier

WL: 1500mm; H: 496mm; W: 510mm Weight: 66kg



Fortis Corner

WL: 1550mm H: 443mm; W: 510mm Weight: 58kg; Max angle 45 degrees



Fortis End WL: 510mm H: 443mm; W: 510mm Weight: 29kg


Panthera Group **Heavy Duty Water Filled Barriers**





Novus

WL: 2000mm; H: 800mm; W: 520mm Weight: Empty 25kg / Full 180kg



GB2

WL: 2000mm; H: 800mm; W: 500mm Weight: Empty 32kg / Full 350kg



WL: 2060mm H: 2300mm; W: 102mm Weight: 25kg



RB2000

WL: 1650mm; H: 1000mm; W: 400mm Weight: Empty 35kg / Full 400kg



RB22

WL: 2000mm; H: 800mm; W: 500mm Weight: Empty 60kg / Full 600kg Crash Tested to BS EN1317 N1



Barrier Hoard - RB22 WL: 2060mm H: 2200mm; W: 120mm Weight: 25kg

The information contained in these data sheets is typical of the products shown and should not be relied upon as a guarantee of individual product performance or specification. We reserve the right to alter specification or design without prior notice. All measurements are in millimetres. E&OE

